

	WAX	WAX/RESIN	HS WAX/RESIN	RESIN
Transferability	V. High	High	High	Medium
Print Density	V. High	High	High	Medium
Print Speed	Medium	Medium	High	Slow
Smudge Resistance	Low	Medium/High*	Medium/High*	High
Scratch Resistance	Low	Low/Medium*	Low/Medium*	High
Heat Resistance	Low	Medium	Medium	High
Solvent Resistance	Low	Medium	Medium	High
Suitable for Outdoor Use	No	Yes	Yes	Yes
Recommended for Gloss Materials	No	No	No	Yes
Label Suitability (general guide only)	Paper and most synthetic materials where there is light, direct contact or handling and no likelihood of direct abrasion.	Most synthetic materials where there is frequent handling but limited direct abrasion.	Most synthetic materials where there is frequent handling but limited direct abrasion.	Most synthetic materials, particularly where there is a gloss finish and/or for use in conditions which infer a high probability of direct abrasion and/or heat or chemical contact.

* Depending on label material